

Q8 Auto 25

Synthetic automatic transmission fluid designed for Mercedes-Benz

Description

Q8 Auto 25 is an outstanding synthetic automatic transmission fluid with tested fuel economy improvement. The lubricant is formulated for Mercedes-Benz using factory fill technology and recommended for the latest 7-speed automatic transmissions requiring MB-Approval 236.14.

Applications

Q8 Auto 25 is especially formulated for the latest 7-speed automatic transmissions requiring MB-Approval 236.14. The product also meets the MB 236.12 specification for 5-speed Mercedes-Benz automatic transmissions type 722.6 with rear wheel drive.

Benefits

- Superior gear protection under heavy duty conditions.
- Exceptional low temperature fluidity and wide temperature operating range.
- Superior protection against rust and corrosion.

Specifications, recommendations and approvals

MB 236.12 MB 236.14

Color code blue = officially approved

Properties

	Method	Unit	Typical
Density, 15 °C	D 4052	g/ml	0,847
Kinematic Viscosity, 40 °C	D 445	mm ² /s	29.5
Kinematic Viscosity, 100 °C	D 445	mm ² /s	6.4
Viscosity Index	D 2270	-	185
Brookfield Viscosity, -40 °C	D 2983	Pa.s	8.5
Pour Point	D 97	°C	-51
Flash Point, COC	D 92	°C	>200

The figures above are not a specification. They are typical figures obtained within production tolerances.