

SAFETY DATA SHEET

Q8 Porta 4PS



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Q8 Porta 4PS

EC number : 934-956-3

REACH Registration number

Registration number	Legal entity
01-2119827000-58	-

CAS number : Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Process oil

Identified uses
Manufacture of substance, Industrial Use as an intermediate, Industrial Distribution of substance, Industrial Formulation and (re)packing of substances and mixtures, Industrial Use in coatings, Industrial Use in coatings, Professional Use in coatings - Consumer Use in lubricants, Industrial Use in lubricants, Professional Use in lubricants - Consumer Use in metal working fluids/rolling oils, Industrial Use in metal working fluids/rolling oils, Professional Use in fuel, Industrial Use in fuel, Professional Use in lubricants - Consumer Use in functional fluids, Industrial Use in functional fluids, Professional Use in functional fluids - Consumer Use in road and construction products, Professional Use in laboratories, Industrial Use in laboratories, Professional Use in explosives, Industrial Use in explosives, Professional Use in water treatment agents, Industrial Use in water treatment agents, Professional Use in water treatment agents - Consumer Use in polymer processing, Industrial Use in polymer processing, Professional

1.3 Details of the supplier of the safety data sheet

Manufacturer / Distributor : Kuwait Petroleum Companies in the Benelux
Company Office: Brusselstraat 59, 2018 Antwerp, Belgium
Contactaddress: Petroleumkaai 7, 2020 Antwerp, Belgium
Tel. +32 3 247 38 11, Fax +32 3 216 03 42

e-mail address of person responsible for this SDS : SDSinfo@Q8.com, communication preferably in English only.

1.4 Emergency telephone number

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Europe : +44 (0) 1235 239 670
Global (English only) : +44 (0) 1865 407 333



SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : UVCB

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

ASPIRATION HAZARD

Category 1

H304

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity : None.

Ingredients of unknown ecotoxicity : None.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 - May be fatal if swallowed and enters airways.

Precautionary statements

Prevention : Not applicable.

Response : P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P331 - Do NOT induce vomiting.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazardous ingredients : Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Supplemental label elements : Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings : Not applicable.

Tactile warning of danger : Not applicable.

2.3 Other hazards

Q8 Porta 4PS

SECTION 2: Hazards identification

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

PBT	P	B	T	vPvB	vP	vB
No	N/A	N/A	No	N/A	N/A	N/A

Other hazards which do not result in classification : Prolonged or repeated contact may dry skin and cause irritation.

SECTION 3: Composition/information on ingredients

3.1 Substances : UVCB

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type	Notes
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	EC: 934-956-3	100	Asp. Tox. 1, H304 See Section 16 for the full text of the H statements declared above.	[A]	-

* CAS: ~ 64742-46-7

The mineral oils in the product contain < 3% DMSO extract (IP 346).

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

[*] Substance

[A] Constituent

[B] Impurity

[C] Stabilizing additive

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

SECTION 4: First aid measures

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

- | | |
|--------------|--|
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following:
irritation
dryness
cracking |
| Ingestion | : Adverse symptoms may include the following:
nausea or vomiting |

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|---------------------|---|
| Notes to physician | : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Use dry chemical, CO ₂ , alcohol-resistant foam or water spray (fog). |
| Unsuitable extinguishing media | : Do not use water jet. |

5.2 Special hazards arising from the substance or mixture

- | | |
|---------------------------------------|---|
| Hazards from the substance or mixture | : In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous combustion products | : No specific data. |

5.3 Advice for firefighters

- | | |
|--|---|
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- | | |
|-----------------------------|--|
| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |

6.2 Environmental precautions

- | | |
|--|---|
| | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
|--|---|

SECTION 6: Accidental release measures

6.3 Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

- : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

- Recommendations** : Not available.
- Industrial sector specific solutions** : Not available.

SECTION 8: Exposure controls/personal protection

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	EU OEL (Europe). TWA: 5 mg/m ³

SECTION 8: Exposure controls/personal protection

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available.

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Wear suitable gloves tested to EN374. Recommended: > 8 hours (breakthrough time): nitrile rubber, polyvinyl alcohol (PVA), fluor rubber

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapor (Type A) and particulate filter
Recommended: Boiling point > 65 °C: A1; Boiling point < 65 °C: AX1; Hot material: A1P2.

SECTION 8: Exposure controls/personal protection

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	: Liquid. [Oily liquid.]
Appearance	: Clear.
Color	: Colorless to light yellow.
Odor	: Slight
Odor threshold	: Not available.
pH	: Not applicable.
Melting point/freezing point	: -15°C
Initial boiling point and boiling range	: >275°C
Flash point	: Closed cup: >133°C [ASTM D93.] Open cup: >133°C [ASTM D92.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not applicable.
Upper/lower flammability or explosive limits	: Lower: 1% Upper: 6%
Vapor pressure	: <0.0001 kPa [room temperature]
Vapor density	: Not available.
Density	: 0.815 g/cm ³ [15°C]
Solubility(ies)	: Insoluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: >230°C
Decomposition temperature	: Not available.
Viscosity (40°C)	: 4 cSt
Explosive properties	: Not applicable.
Oxidizing properties	: Not applicable.

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: Reactive or incompatible with the following materials: Strong oxidizing materials

Q8 Porta 4PS

SECTION 10: Stability and reactivity

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	LC50 Inhalation Dusts and mists	Rat	>5266 mg/m ³	4 hours
	LD50 Oral	Rat	>5000 mg/kg	-

Conclusion/Summary : Not available.

Acute toxicity estimates

N/A

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitization

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Product/ingredient name	Result
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : Defatting to the skin. May cause skin dryness and irritation.
Ingestion : May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.

Q8 Porta 4PS

SECTION 11: Toxicological information

- Skin contact** : Adverse symptoms may include the following:
irritation
dryness
cracking
- Ingestion** : Adverse symptoms may include the following:
nausea or vomiting

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Not available.

- Conclusion/Summary** : Not available.
- General** : Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	Acute EC50 >10000 mg/l	Algae	72 hours
	Acute EC50 >3193 mg/l	Daphnia	48 hours
	Acute EC50 >1028 mg/l	Fish	96 hours

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	OECD 306	74 % - Readily - 28 days	-	-

Conclusion/Summary : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	-	-	Readily

Q8 Porta 4PS

SECTION 12: Ecological information

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics	No	N/A	N/A	No	N/A	N/A	N/A

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Yes.

European waste catalogue (EWC)

Waste code	Waste designation
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils

Packaging

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-

Q8 Porta 4PS

SECTION 14: Transport information

14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Other EU regulations

Industrial emissions (integrated pollution prevention and control) - Air : Not listed

Industrial emissions (integrated pollution prevention and control) - Water : Not listed

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

Hazard class for water (WGK) : 1

VOC content : Exempt.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Q8 Porta 4PS

SECTION 15: Regulatory information

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	:  Not determined.
Canada	:  Not determined.
China	:  Not determined.
Europe	: This material is listed or exempted.
Japan	:  Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	:  Not determined.
Philippines	:  Not determined.
Republic of Korea	:  Not determined.
Taiwan	:  Not determined.
Thailand	: Not determined.
Turkey	:  Not determined.
United States	: Not determined.
Viet Nam	: Not determined.

15.2 Chemical Safety Assessment : Complete.

SECTION 16: Other information

 Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative
----------------------------	--

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Asp. Tox. 1, H304	Expert judgment

Full text of abbreviated H statements

H304	May be fatal if swallowed and enters airways.
------	---

Full text of classifications [CLP/GHS]

Asp. Tox. 1	ASPIRATION HAZARD - Category 1
-------------	--------------------------------

Training advice : Ensure operatives are trained to minimise exposures.

Q8 Porta 4PS

SECTION 16: Other information

Date of printing : 15-10-2020
Date of issue/ Date of revision : 15-10-2020
Date of previous issue : 19-08-2020
Version : 1.05
Prepared by : Kuwait Petroleum Research & Technology B.V., The Netherlands

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Manufacture of substance, Industrial
List of use descriptors : **Identified use name:** Manufacture of substance, Industrial
Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC15
Substance supplied to that use in form of: As such
Sector of end use: SU03, SU08, SU09, SU10
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC01, ERC04
Market sector by type of chemical product: PC24
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Manufacture of the substance or use as a process chemical or extraction agent within closed or contained systems. Includes incidental exposures during recycling/recovery, material transfers, storage, sampling, associated laboratory activities, maintenance and loading (including marine vessel/barge, road/rail car and bulk container).

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Technical conditions and measures at process level (source) to prevent release : Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.
Organizational measures to prevent/limit release from site : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.
Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use as Intermediate, Industrial
List of use descriptors : **Identified use name:** Use as an intermediate, Industrial
Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC15
Substance supplied to that use in form of: As such
Sector of end use: SU03, SU08, SU09
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC06a
Market sector by type of chemical product: PC19
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Use of substance as an intermediate (not related to Strictly Controlled Conditions). Includes recycling/recovery, material transfers, storage, sampling, associated laboratory activities, maintenance and loading (including marine vessel/barge, road/rail car and bulk container).

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Technical conditions and measures at process level (source) to prevent release : Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.
Organizational measures to prevent/limit release from site : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.

Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Distribution of substance, Industrial

List of use descriptors : **Identified use name:** Distribution of substance, Industrial
Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC15
Substance supplied to that use in form of: As such
Sector of end use: SU03, SU08, SU09
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC01, ERC02, ERC03, ERC04, ERC05, ERC06a, ERC06b, ERC06c, ERC06d, ERC07
Market sector by type of chemical product: PC24
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Loading (including marine vessel/barge, rail/road car and IBC loading) and repacking (including drums and small packs) of substance, including its sampling, storage, unloading distribution and associated laboratory activities.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.

Amounts used : Not applicable.

Environment factors not influenced by risk management : Not applicable.

Other conditions affecting environmental exposure : Not applicable.

Technical conditions and measures at process level (source) to prevent release : Not applicable.

Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.

Organizational measures to prevent/limit release from site : Not applicable.

Conditions and measures related to sewage treatment plant : Not applicable.

Conditions and measures related to external treatment of waste for disposal : Not applicable.

Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Formulation and (re)packing of substances and mixtures, Industrial

List of use descriptors : **Identified use name:** Formulation and (re)packing of substances and mixtures, Industrial
Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC08a, PROC08b, PROC09, PROC14, PROC15
Substance supplied to that use in form of: As such
Sector of end use: SU03, SU10
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC02
Market sector by type of chemical product: PC24
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Formulation, packing and re-packing of the substance and its mixtures in batch or continuous operations, including storage, materials transfers, mixing, tableting, compression, pelletisation, extrusion, large and small scale packing, sampling, maintenance and associated laboratory activities.
--	---

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.

Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Uses in Coatings, Industrial

List of use descriptors : **Identified use name:** Use in coatings, Industrial
Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC07, PROC08a, PROC08b, PROC09, PROC10, PROC13, PROC14, PROC15
Substance supplied to that use in form of: As such
Sector of end use: SU03
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC04
Market sector by type of chemical product: PC24, PC01, PC04, PC09a, PC09b, PC09c, PC15, PC18, PC23, PC31, PC34, Excipient only
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including materials receipt, storage, preparation and transfer from bulk and semi-bulk, application by spray, roller, spreader, dip, flow, fluidised bed on production lines and film formation) and equipment cleaning, maintenance and associated laboratory activities.
--	--

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.

Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Professional

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Uses in Coatings, Professional

List of use descriptors : **Identified use name:** Use in coatings, Professional
Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC08a, PROC08b, PROC10, PROC11, PROC13, PROC15, PROC19
Substance supplied to that use in form of: As such
Sector of end use: SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08a, ERC08d
Market sector by type of chemical product: PC24, Excipient only, PC01, PC04, PC09a, PC09b, PC09c, PC15, PC18, PC23, PC31, PC34
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including materials receipt, storage, preparation and transfer from bulk and semi-bulk, application by spray, roller, brush, spreader by hand or similar methods, and film formation), and equipment cleaning, maintenance and associated laboratory activities.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Technical conditions and measures at process level (source) to prevent release : Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.
Organizational measures to prevent/limit release from site : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.

Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in Lubricants, Industrial
List of use descriptors : **Identified use name:** Use in lubricants, Industrial
Process Category: PROC01, PROC02, PROC03, PROC04, PROC07, PROC08a, PROC08b, PROC09, PROC10, PROC13, PROC17, PROC18
Substance supplied to that use in form of: As such
Sector of end use: SU03
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC04, ERC07
Market sector by type of chemical product: PC24, PC01, PC31
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Covers the use of formulated lubricants in closed and open systems including transfer operations, operation of machinery/engines and similar articles, reworking on reject articles, equipment maintenance and disposal of wastes.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Technical conditions and measures at process level (source) to prevent release : Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.
Organizational measures to prevent/limit release from site : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.
Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Professional

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in Lubricants, Professional

List of use descriptors : **Identified use name:** Use in lubricants, Professional
Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20
Substance supplied to that use in form of: As such
Sector of end use: SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08a, ERC08b
Market sector by type of chemical product: PC24, PC01, PC31
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Covers the use of formulated lubricants in closed and open systems including transfer operations, operation of engines and similar articles, reworking on reject articles, equipment maintenance and disposal of waste oil.
--	---

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.
Conditions and measures related to external recovery of waste	: Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in Metal working fluids / rolling oils, Industrial

List of use descriptors : **Identified use name:** Use in metal working fluids/rolling oils, Industrial
Process Category: PROC01, PROC02, PROC03, PROC04, PROC05, PROC07, PROC08a, PROC08b, PROC09, PROC10, PROC13, PROC17
Substance supplied to that use in form of: As such
Sector of end use: SU03
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC04
Market sector by type of chemical product: Not applicable., PC25
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Covers the use in formulated MWFs/rolling oils including transfer operations, rolling and annealing activities, cutting/machining activities, automated and manual application of corrosion protections (including brushing, dipping and spraying), equipment maintenance, draining and disposal of waste oils.
--	---

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.

Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Professional

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in Metal working fluids / rolling oils, Professional

List of use descriptors : **Identified use name:** Use in metal working fluids/rolling oils, Professional
Process Category: PROC01, PROC02, PROC03, PROC05, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17
Substance supplied to that use in form of: As such
Sector of end use: SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08a, ERC08d
Market sector by type of chemical product: PC25
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Covers the use in formulated MWFs including transfer operations, open and contained cutting/machining activities, automated and manual application of corrosion protections, draining and working on contaminated/ reject articles, and disposal of waste oils.
--	---

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.

Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in Lubricants, Industrial
List of use descriptors : **Identified use name:** Use in fuel, Industrial
Process Category: PROC01, PROC02, PROC03, PROC08a, PROC08b, PROC16
Substance supplied to that use in form of: As such
Sector of end use: SU03
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC07
Market sector by type of chemical product: PC13
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Covers the use as a fuel (or fuel additive) and includes activities associated with its transfer, use, equipment maintenance and handling of waste.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Technical conditions and measures at process level (source) to prevent release : Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.
Organizational measures to prevent/limit release from site : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.
Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Professional

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in Lubricants, Professional
List of use descriptors : **Identified use name:** Use in fuel, Professional
Process Category: PROC01, PROC02, PROC03, PROC08a, PROC08b, PROC16
Substance supplied to that use in form of: As such
Sector of end use: SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC09a, ERC09b
Market sector by type of chemical product: PC13
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Covers the use as a fuel (or fuel additive) and includes activities associated with its transfer, use, equipment maintenance and handling of waste.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Technical conditions and measures at process level (source) to prevent release : Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.
Organizational measures to prevent/limit release from site : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.
Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in functional fluids, Industrial

List of use descriptors : **Identified use name:** Use in functional fluids, Industrial
Process Category: PROC01, PROC02, PROC03, PROC08a, PROC08b, PROC04, PROC09
Substance supplied to that use in form of: As such
Sector of end use: SU03
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC07
Market sector by type of chemical product: PC16, PC17
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Use as functional fluids e.g. cable oils, transfer oils, coolants, insulators, refrigerants, hydraulic fluids in industrial equipment including maintenance and related material transfers.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.

Amounts used : Not applicable.

Environment factors not influenced by risk management : Not applicable.

Other conditions affecting environmental exposure : Not applicable.

Technical conditions and measures at process level (source) to prevent release : Not applicable.

Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.

Organizational measures to prevent/limit release from site : Not applicable.

Conditions and measures related to sewage treatment plant : Not applicable.

Conditions and measures related to external treatment of waste for disposal : Not applicable.

Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived.

Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Professional

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in functional fluids, Professional
List of use descriptors : **Identified use name:** Use in functional fluids, Professional
Process Category: PROC01, PROC02, PROC03, PROC08a, PROC09, PROC20
Substance supplied to that use in form of: As such
Sector of end use: SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC09a, ERC09b
Market sector by type of chemical product: PC16, PC17
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Use as functional fluids e.g. cable oils, transfer oils, coolants, insulators, refrigerants, hydraulic fluids in professional equipment including maintenance and related material transfers.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Technical conditions and measures at process level (source) to prevent release : Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.
Organizational measures to prevent/limit release from site : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.
Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Professional

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in road and construction products, Professional
List of use descriptors : **Identified use name:** Use in road and construction products, Professional
Process Category: PROC08a, PROC09, PROC08b, PROC10, PROC11, PROC13
Substance supplied to that use in form of: As such
Sector of end use: SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08d, ERC08f
Market sector by type of chemical product: PC24
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Application of surface coatings and binders in road and construction activities, including paving uses, manual mastic and in the application of roofing and water-proofing membranes

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Technical conditions and measures at process level (source) to prevent release : Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.
Organizational measures to prevent/limit release from site : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.
Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in laboratories, Industrial
List of use descriptors : **Identified use name:** Use in laboratories, Industrial
Process Category: PROC10, PROC15
Substance supplied to that use in form of: As such
Sector of end use: SU03
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC02, ERC04
Market sector by type of chemical product: PC24
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Use of the substance within laboratory settings, including material transfers and equipment cleaning
--	--

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.
Conditions and measures related to external recovery of waste	: Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Professional

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in laboratories, Professional
List of use descriptors : **Identified use name:** Use in laboratories, Professional
Process Category: PROC10, PROC15
Substance supplied to that use in form of: As such
Sector of end use: SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08a
Market sector by type of chemical product: PC24
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Use of the substance within laboratory settings, including material transfers and equipment cleaning
--	--

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.
Conditions and measures related to external recovery of waste	: Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in explosives, Industrial
List of use descriptors : **Identified use name:** Use in explosives, Industrial
Process Category: PROC15, PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b
Substance supplied to that use in form of: As such
Sector of end use: SU03, SU08, SU09
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC02
Market sector by type of chemical product: PC11
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Covers exposures arising from the manufacture and use of slurry explosives (including materials transfer, mixing and charging) and equipment cleaning.
--	--

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.
Conditions and measures related to external recovery of waste	: Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Professional

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in explosives, Professional
List of use descriptors : **Identified use name:** Use in explosives, Professional
Process Category: PROC01, PROC02, PROC03, PROC08a, PROC08b, PROC05
Substance supplied to that use in form of: As such
Sector of end use: SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08e
Market sector by type of chemical product: PC11
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Covers exposures arising from the manufacture and use of slurry explosives (including materials transfer, mixing and charging) and equipment cleaning.
--	--

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.
Conditions and measures related to external recovery of waste	: Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in water treatment agents, Industrial

List of use descriptors : **Identified use name:** Use in water treatment agents, Industrial
Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC13
Substance supplied to that use in form of: As such
Sector of end use: SU03
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC03, ERC04
Market sector by type of chemical product: PC36, PC37
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Covers the use of the substance for the treatment of water at industrial facilities in open and closed systems.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.

Amounts used : Not applicable.

Environment factors not influenced by risk management : Not applicable.

Other conditions affecting environmental exposure : Not applicable.

Technical conditions and measures at process level (source) to prevent release : Not applicable.

Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil : Not applicable.

Organizational measures to prevent/limit release from site : Not applicable.

Conditions and measures related to sewage treatment plant : Not applicable.

Conditions and measures related to external treatment of waste for disposal : Not applicable.

Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived.

Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Professional

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in water treatment agents, Professional

List of use descriptors : **Identified use name:** Use in water treatment agents, Professional
Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC13
Substance supplied to that use in form of: As such
Sector of end use: SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08f
Market sector by type of chemical product: PC36, PC37
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Covers the use of the substance for the treatment of water in open and closed systems.
--	--

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.
Conditions and measures related to external recovery of waste	: Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Industrial

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in polymer processing, Industrial

List of use descriptors : **Identified use name:** Use in polymer processing, Industrial
Process Category: PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC13, PROC05, PROC06, PROC09, PROC14, PROC21
Substance supplied to that use in form of: As such
Sector of end use: SU03
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC04
Market sector by type of chemical product: PC24
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Processing of formulated polymers including material transfers, additives handling (e.g. pigments, stabilizers, fillers, plasticizers, etc.), moulding, curing and forming activities, material re-works, storage and associated maintenance
--	--

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.
Conditions and measures related to external recovery of waste	: Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Professional

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in polymer processing, Professional

List of use descriptors : **Identified use name:** Use in polymer processing, Professional
Process Category: PROC01, PROC02, PROC06, PROC08a, PROC08b, PROC14, PROC21
Substance supplied to that use in form of: As such
Sector of end use: SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08a, ERC08d
Market sector by type of chemical product: PC24
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario	: Processing of formulated polymers including material transfers, moulding and forming activities, material re-works and associated maintenance
--	---

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics	: Not applicable.
Amounts used	: Not applicable.
Environment factors not influenced by risk management	: Not applicable.
Other conditions affecting environmental exposure	: Not applicable.
Technical conditions and measures at process level (source) to prevent release	: Not applicable.
Technical on-site conditions and measures to reduce or limit discharges, air emissions and releases to soil	: Not applicable.
Organizational measures to prevent/limit release from site	: Not applicable.
Conditions and measures related to sewage treatment plant	: Not applicable.
Conditions and measures related to external treatment of waste for disposal	: Not applicable.
Conditions and measures related to external recovery of waste	: Not applicable.

Contributing scenario controlling worker exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived.

Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100 %.

Physical state : liquid

Frequency and duration of use/exposure : Covers daily exposures up to 8 hours

Other conditions affecting workers exposure : Assumes a good basic standard of occupational hygiene is implemented

Conditions and measures related to personal protection, hygiene and health evaluation

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Workers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not applicable.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Consumer

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Uses in Lubricants - Consumer
List of use descriptors : **Identified use name:** Use in lubricants - Consumer
Substance supplied to that use in form of: As such
Sector of end use: SU21
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08a, ERC08d, ERC09a, ERC09b
Market sector by type of chemical product: PC01, PC24, PC31
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Covers the use of formulated lubricants in closed and open systems including transfer operations, operation of engines and similar articles, reworking on reject articles, equipment maintenance and disposal of waste oil.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.
Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling consumer exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article	: Covers percentage substance in the product up to 100 %.
Physical state	: liquid
Frequency and duration of use/exposure	: Covers daily exposures up to 8 hours
Other given operational conditions affecting consumers exposure	: Assumes a good basic standard of occupational hygiene is implemented
Conditions and measures related to personal protection and hygiene	

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment):	: Not available.
Exposure estimation and reference to its source	: Not applicable.

Exposure estimation and reference to its source - Consumers: 2:

Exposure assessment (human):	: Not available.
Exposure estimation and reference to its source	: Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment	: Not available.
Health	: Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Consumer

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in fuel - Consumer
List of use descriptors : **Identified use name:** Use in lubricants - Consumer
Substance supplied to that use in form of: As such
Sector of end use: SU21
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC09a, ERC09b
Market sector by type of chemical product: PC13
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Covers consumer uses in liquid fuels.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.
Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling consumer exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article	: Covers percentage substance in the product up to 100 %.
Physical state	: liquid
Frequency and duration of use/exposure	: Covers daily exposures up to 8 hours
Other given operational conditions affecting consumers exposure	: Assumes a good basic standard of occupational hygiene is implemented
Conditions and measures related to personal protection and hygiene	

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not applicable.

Exposure estimation and reference to its source - Consumers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not available.

Health : Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Consumer

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in functional fluids - Consumer

List of use descriptors : **Identified use name:** Use in functional fluids - Consumer
Substance supplied to that use in form of: As such
Sector of end use: SU21
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC09a, ERC09b
Market sector by type of chemical product: PC16, PC17
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.
Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling consumer exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived.

Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article	: Covers percentage substance in the product up to 100 %.
Physical state	: liquid
Frequency and duration of use/exposure	: Covers daily exposures up to 8 hours
Other given operational conditions affecting consumers exposure	: Assumes a good basic standard of occupational hygiene is implemented
Conditions and measures related to personal protection and hygiene	

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment):	: Not available.
Exposure estimation and reference to its source	: Not applicable.

Exposure estimation and reference to its source - Consumers: 2:

Exposure assessment (human):	: Not available.
Exposure estimation and reference to its source	: Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment	: Not available.
Health	: Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Consumer

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario : Use in water treatment agents - Consumer
List of use descriptors : **Identified use name:** Use in water treatment agents - Consumer
Substance supplied to that use in form of: As such
Sector of end use: SU21
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08f
Market sector by type of chemical product: PC36, PC37
Article category related to subsequent service life: Not applicable.

Processes and activities covered by the exposure scenario : Covers the use of the substance for the treatment of water in open and closed systems.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Product characteristics : Not applicable.
Amounts used : Not applicable.
Environment factors not influenced by risk management : Not applicable.
Other conditions affecting environmental exposure : Not applicable.
Conditions and measures related to sewage treatment plant : Not applicable.
Conditions and measures related to external treatment of waste for disposal : Not applicable.
Conditions and measures related to external recovery of waste : Not applicable.

Contributing scenario controlling consumer exposure for 2:

The CLP hazard statement H304 (May be fatal if swallowed and enters airways) relates to a risk of aspiration which is associated to a non-quantifiable hazard determined by kinematic viscosity. This risk may arise if swallowed but also in case of vomiting after ingestion. The toxicity hazard of aspiration, although being a hazard for health, does not result from any observed toxicological effect characterized by a dose-response. Therefore no DNEL can be derived. Operational Conditions (OCs) and implementation of Risk Management Measures (RMMs) need to be proportional to the degree of concern for the health hazard presented by the substance. The exposure by ingestion should not exist in the case of any permitted uses of the substance. Since the hazard statement H304 is related to a misuse that should not occur during the identified uses stated in section 1.2 of Material Safety Data Sheet (MSDS). In case of any risk, it should be controlled by implementing RMMs tailored specifically. For any substance classified H304, these RMMs should be communicated via the MSDS by the use of the following statement: « Do not ingest. If swallowed then seek immediate medical assistance », to cover this risk.

Concentration of substance in mixture or article	: Covers percentage substance in the product up to 100 %.
Physical state	: liquid
Frequency and duration of use/exposure	: Covers daily exposures up to 8 hours
Other given operational conditions affecting consumers exposure	: Assumes a good basic standard of occupational hygiene is implemented
Conditions and measures related to personal protection and hygiene	

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment):	: Not available.
Exposure estimation and reference to its source	: Not applicable.

Exposure estimation and reference to its source - Consumers: 2:

Exposure assessment (human):	: Not available.
Exposure estimation and reference to its source	: Not applicable.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment	: Not available.
Health	: Available hazard data do not support the need for a DNEL to be established for other health effects. Risk management measures are based on qualitative risk characterisation.

Annex to the extended Safety Data Sheet (eSDS)

Consumer

Identification of the substance or mixture

Product definition : UVCB
Product name : Q8 Porta 4PS

Section 1 - Title

Short title of the exposure scenario :
List of use descriptors : **Identified use name:** Use in coatings - Consumer
Substance supplied to that use in form of: As such
Sector of end use: SU21
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC08a, ERC08d
Market sector by type of chemical product: PC01, PC04, PC09a, PC09b, PC09c, PC18, PC23, PC24, PC31, PC34, PC15, Excipient only
Article category related to subsequent service life: Not applicable.

Section 2 - Exposure controls

Contributing scenario controlling environmental exposure for 1:

Contributing scenario controlling consumer exposure for 2:

Conditions and measures related to personal protection and hygiene

Section 3 - Exposure estimation and reference to its source

Website: : Not applicable.

Exposure estimation and reference to its source - Environment: 1:

Exposure assessment (environment): : Not available.

Exposure estimation and reference to its source : Not available.

Exposure estimation and reference to its source - Consumers: 2:

Exposure assessment (human): : Not available.

Exposure estimation and reference to its source : Not available.

Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Environment : Not available.

Health : Not available.