# SAFETY DATA SHEET

Q8 Rodin EP 415



#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier **Product name** : Q8 Rodin EP 415 : Calcium Sulphonate Complex, 1.5 **Viscosity or Type** 1.2 Relevant identified uses of the substance or mixture and uses advised against **Material uses** : grease 1.3 Details of the supplier of the safety data sheet **Supplier** : Kuwait Petroleum Companies in the Benelux Company Office: Brusselstraat 59, 2018 Antwerp, Belgium Contactaddress: Petroleumkaai 7, 2020 Antwerp, Belgium Tel. +32 3 247 38 11, Fax +32 3 216 03 42 : Kuwait Petroleum Belgium N.V./S.A. Manufacturer / Distributor Q8Oils Italia S.r.l. Petroleumkaai 7 Via Volpedo 2 B-2020 Antwerp 15050 Castellar Guidobono (AL) Belgium Italy e-mail address of person responsible for this SDS : SDSinfo@Q8.com, communication preferably in English only. : PCNinfo@Q8.com, communication preferably in English only. **PCN** Information contact 1.4 Emergency telephone number

: +44 (0) 1235 239 670	CARECHEM24
: +44 (0) 1865 407 333	
oison Center	
: Poison Centre : +32 (0)70 245 245	
	: +44 (0) 1865 407 333 Poison Center

## **SECTION 2: Hazards identification**

Date of issue/Date of revision

bstance or mixture
: Mixture
o Regulation (EC) No. 1272/2008 [CLP/GHS]
as hazardous according to Regulation (EC) 1272/2008 as amended.
: None.
: None.
tailed information on health effects and symptoms.
: No signal word.
: No known significant effects or critical hazards.
: Not applicable.

: 16-03-2021

Version : 1.04

1/13

: 06-04-2023 Date of previous issue

## **SECTION 2: Hazards identification**

Response	1	Not applicable.
Storage	1	Not applicable.
Disposal	1	Not applicable.
Supplemental label elements	;	Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Detergents - Regulation (EC) No 648/2004	:	Not applicable.
Special packaging requirem	er	its
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	:	Prolonged or repeated contact may dry skin and cause irritation.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Zalcium sulfonate complex grease based on mineral oil with additives	-	≥90	Not classified.	-	[2]
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	REACH #: 01-2119560592-37 EC: 932-231-6 CAS: 1335202-81-7	≤3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 See Section 16 for the full text of the H statements declared above.	Eye Dam. 1, H318: C ≥ 10.5%	[1]

The mineral base oils contained in this product are severely refined and contain less than 3% DMSO extract according to IP 346 method, and are therefore not classified as carcinogen according to Regulation (EC) No 1272/2008, note L.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

1 Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

4.1 Description of first aid r	measures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: ₩ash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### 4.2 Most important symptoms and effects, both acute and delayed

### **Over-exposure signs/symptoms**

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation dryness cracking
Ingestion	: No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , alcohol-resistant foam or water spray (fog).
Unsuitable extinguishing media	: Do not use water jet.

5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide

## **SECTION 5: Firefighting measures**

5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials fo	or c	ontainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Q8 Rodin EP 415

## **SECTION 7: Handling and storage**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s) Recommendations

: Not available.

: Not available.

Industrial sector specific solutions

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

### **Occupational exposure limits**

Product/ingredient name		Exposure limit values
Calcium sulfonate complex grease based on mineral oil with additives		<b>EU OEL (Europe).</b> TWA: 5 mg/m³, (oil Mist)
mineral oil with additives Recommended monitoring procedures If this product co atmosphere or b of the ventilation protective equip the following: E the assessment limit values and atmospheres - C of exposure to c (Workplace atm for the measure		ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness in or other control measures and/or the necessity to use respiratory oment. Reference should be made to monitoring standards, such as suropean Standard EN 689 (Workplace atmospheres - Guidance for t of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 nospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be

#### **DNELs/DMELs**

No DNELs/DMELs available.

### **PNECs**

No PNECs available.

8.2 Exposure controls Appropriate engineering	:	Good general ventilation should be sufficient to control worker exposure to airborne
controls		contaminants.
Individual protection meas	ures	<u>i</u>
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		

### **SECTION 8: Exposure controls/personal protection**

•	· · ·
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Wear suitable gloves tested to EN374. Recommended: < 1 hour (breakthrough time): nitrile rubber 0.17 mm. Provide employee with skin care programmes.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Boiling point > 65 °C: A1; Boiling point < 65 °C: AX1; Hot material: A1P2.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance** : Liquid. [grease] **Physical state** : Thick, oily liquid. **Appearance** : Amber. [Dark] Color : Hydrocarbon. Odor : Not available. **Odor threshold** : Not available. Melting point/freezing point Initial boiling point and : >250°C (>482°F) boiling range : Not applicable. Flammability Lower and upper explosion : Not available. limit Øpen cup: >150°C (>302°F) [ASTM D92.] **Flash point** : Not available. Auto-ignition temperature : Not available. **Decomposition temperature** pН ŝ, Not applicable. Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt) [ASTM D 445] Viscosity ÷. Solubility(ies) ŝ, Media Result cold water Not soluble hot water Not soluble Partition coefficient: n-octanol/ : Not applicable. water Vapor pressure : Not applicable. : 🗲 g/cm³ [25°C (77°F)] [ASTM D 4052] **Density** Not available. Vapor density 2 **Explosive properties** : Not applicable. Date of issue/Date of revision :06-04-2023 : 16-03-2021 Date of previous issue Version :1.04 6/13

### 9.1 Information on basic physical and chemical properties

Q8 Rodin EP 415

Median particle size

SECTION 9: Physical and chemical properties		
Oxidizing properties	: Not applicable.	
Particle characteristics		

: Not applicable.

SECTION 10: Stability and reactivity		
10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	No specific data.
10.5 Incompatible materials	:	Reactive or incompatible with the following materials: Strong oxidizing materials
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

11.1 Information on haz	zard classes as defined in Regulation (EC) No 1272/2008	
Acute toxicity		
Conclusion/Summary	ry : Not available.	
Acute toxicity estimat	<u>ates</u>	
N/A		
Irritation/Corrosion		
Conclusion/Summary	y : Not available.	
Sensitization		
Conclusion/Summary	y : Not available.	
Mutagenicity		
Conclusion/Summary	y : Not available.	
<b>Carcinogenicity</b>		
<b>Conclusion/Summary</b>	y : Not available.	
Reproductive toxicity		
Conclusion/Summary	y : Not available.	
Teratogenicity		
Conclusion/Summary	y : Not available.	
Specific target organ to	toxicity (single exposure)	
Not available.		
Specific target organ to	toxicity (repeated exposure)	
Not available.		
Aspiration hazard		
Not available.		
Information on the likely	v : Not available.	
routes of exposure		
Date of issue/Date of revision	n : 06-04-2023 Date of previous issue : 16-03-2021	Version

## **SECTION 11: Toxicological information**

Potential acute health effects	<u>s</u>	
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	Defatting to the skin. May cause skin dryness and irritation.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the phy	<u>/sic</u>	cal, chemical and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	1	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation dryness cracking
Ingestion	1	No specific data.
Delayed and immediate effect	<u>cts</u>	and also chronic effects from short and long term exposure
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health eff	ect	<u>s</u>
Not available.		
Conclusion/Summary	:	Not available.
General	:	Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ or dermatitis.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	1	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.
11.2 Information on other ha		
11.2.1 Endocrine disrupting	j pi	operties

11.2.1 Endocrine disrupting properties Not available.

### 11.2.2 Other information

Not available.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

**Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

### **Conclusion/Summary** : Not readily biodegradable.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
8 Rodin EP 415	-	-	Not readily

### 12.3 Bioaccumulative potential

Date of	issue/Date of revisi	on

## **SECTION 12: Ecological information**

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **12.6 Endocrine disrupting properties**

Not available.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.

### European waste catalogue (EWC)

Waste code	Waste designation	
13 08 99*	wastes not otherwise specified	
Packaging		
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.	
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	

### **SECTION 14: Transport information**

	•			
	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
Date of issue/Date of rev	+ vision : 06-04-2	023 Date of previous issue	: 16-03-2021	Version : 1.04 9/1.

SECTION 14: Transport information				
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in	: Not available
bulk according to IMO	
instruments	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

### Annex XIV - List of substances subject to authorization

### **Annex XIV**

None of the components are listed.

### Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Other EU regulations	
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed
Ozone depleting substanc	<u>es (1005/2009/EU)</u>
Not listed.	
Prior Informed Consent (P Not listed.	<u>IC) (649/2012/EU)</u>
Persistent Organic Polluta Not listed.	<u>nts</u>
Seveso Directive	
This product is not controlled	d under the Seveso Directive.
National regulations	
<u>Germany</u>	
Hazard class for water (WGK)	: 1
Switzerland	

Q8 Rodin EP 415		
SECTION 15: Regulat	to	ry information
VOC content International regulations Chemical Weapon Conventi Not listed.		Exempt.
Montreal Protocol Not listed.		
Stockholm Convention on P Not listed.	<u>'er</u>	sistent Organic Pollutants
Rotterdam Convention on P Not listed.	<u>ric</u>	er Informed Consent (PIC)
UNECE Aarhus Protocol on Not listed.	<u>P(</u>	<u>)Ps and Heavy Metals</u>
Inventory list		
Australia	÷	All components are listed or exempted.
Canada	÷	All components are listed or exempted.
China		All components are listed or exempted.
Eurasian Economic Union	÷	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	÷	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	÷	All components are listed or exempted.
Thailand	:	Not determined.
Turkey	÷	Not determined.
United States of America	÷	All components are active or exempted.
Viet Nam		Not determined.
15.2 Chemical Safety Assessment	:	This product contains substances for which Chemical Safety Assessments are still required.
SECTION 16: Other in	nf	ormation
Indicates information that has a second s	as	changed from previously issued version.
Abbreviations and	4	ADN = European Provisions concerning the International Carriage of Dangerous
acronyms		Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of
		Dangerous Goods by Road
		ASTM = American Society for Testing and Materials
		ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor
		CAS = Chemical Abstracts Service
		CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
		1272/2008] DIN = German Institute for Standardization
		DMEL = Derived Minimal Effect Level
		DNEL = Derived No Effect Level
		EC - European Commission

- EC = European Commission EC50 = Half maximal effective concentration
  - EN = European Standard (Norm)
    - EUH statement = CLP-specific Hazard statement
  - GHS Globally Harmonized System of Classification and Labeling of Chemicals

## **SECTION 16: Other information**

IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IC50 = Half maximal inhibitory concentration
IMDG = International Maritime Dangerous Goods
IMO = International Maritime Organisation
ISO = International Organization for Standardization
LC50 = Median lethal concentration
LD50 = Median lethal dose
LOAEL / LOAEC = Lowest Observed Adverse Effect Level / Concentration
MARPOL = International Convention for the Prevention of Pollution From Ships,
1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
N/A = Not available
NOAEL / NOAEC = No Observed Adverse Effect Level / Concentration
NOEL / NOEC = No Observed Effect Level / Concentration
OECD = Organisation for Economic Co-operation and Development
OEL = Occupational Exposure Limit
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
Regulation [Regulation (EC) No. 1907/2006]
RID = The Regulations concerning the International Carriage of Dangerous Goods
by Rail
SDS = Safety Data Sheet
SVHC = Substances of Very High Concern
STEL = Short Term Exposure Limit
TLV = Threshold Limit Value
TWA = Time Weighted Average
UFI = Unique Formula Identifier
UN = United Nations
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The mineral base oils contained in this product are severely refined and contain less than 3% DMSO extract according to IP 346 method, and are therefore not classified as carcinogen according to Regulation (EC) No 1272/2008, note L.

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

### Full text of abbreviated H statements

H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

### Full text of classifications [CLP/GHS]

Aquatic Chronic 3 Eye Dam. 1 Skin Irrit. 2	AQUATIC HAZARD (LONG-TERM) - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 2
Training advice	: Ensure operatives are trained to minimise exposures.
Date of printing	: 06-04-2023
Date of issue/ Date of revision	: 06-04-2023
Date of previous issue	: 16-03-2021
Version	: 1.04
Prepared by	: Kuwait Petroleum Research & Technology B.V., The Netherlands
Notice to reader	

Q8 Rodin EP 415

### **SECTION 16: Other information**

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.