

Q8 Bach XAS 42

Extreme performance neat metal removal fluid for ferrous metals

Description

Q8 Bach XAS 42 is a chlorine-free high viscosity neat metal removal fluid for heavy duty machining applications. The superior quality base fluid provides an exceptional oxidation stability, which enables a long fluid life. Due to the superior performance additives, Q8 Bach XAS 42 offers excellent results in surface finish and tool life. The active sulphur package makes it very suitable for ferrous metals like cast iron, carbon steel and high-alloyed steels.

Applications

Q8 Bach XAS 42 is designed for extreme operations like broaching, gear shaping, hobbing, tapping and threading. The product is suitable for ferrous metals like cast iron, carbon steel and high-alloyed steels, including stainless steel and heat resistant steel alloys.

User instructions

In order to preserve the integrity of this product drums should be stored inside a building protected from water entry, frost and direct sunlight.

There is risk of staining of copper and copper alloys. In some applications it can be used for machining aluminium and magnesium.

Environment, Health and Safety

Please consult the Material Safety Data Sheet for instructions regarding safe handling and environmental issues.

Properties

	Method	Unit	Typical
Density, 15 °C	D 4052	g/ml	0.87
Kinematic Viscosity, 40 °C	D 445	mm ² /s	41
Flash Point, COC	D 92	°C	195
Copper Strip, 3 h, 100 °C	D 130	-	4
Four Ball Test, Weld Load	IP 239	kg	> 770

The figures above are not a specification. They are typical figures obtained within production tolerances.

Remarks

Please contact your Q8Oils representative for further advice and support on your specific application and equipment.