

Q8 Rider 4T 20W-50

Superior fully synthetic motorcycle oil for Harley Davidson

Description

Q8 Rider 4T 20W-50 is a superior fully synthetic lubricant that enhances power performance of 4-stroke motorcycles. It contains a unique polymeric Viscosity Index improver and exceptional anti-wear additives that result in an extreme film strength. Q8 Rider 4T 20W-50 guarantees exceptional engine cleanliness, is mechanical and thermal stable and delivers non-stop peak performance in all conditions.

Applications

Q8 Rider 4T 20W-50 recommended for latest high performance, engines with or without catalyst. Q8 Rider 4T 20W-50 is used in on- and off-road motorcycles with dry and wet clutch meeting JASO MA2 performance. It is suitable for extreme high performance motor bike engines for all riding conditions including off-road and endurance. The oil exceeds the top international OEM requirements. Q8 Rider 4T 20W-50 is specially developed for Harley Davidson Air Cooled V Twin engines.

Specifications, recommendations and approvals

API SN JASO MA2

Properties

	Method	Unit	Typical
Density, 15 °C	D 4052	g/ml	0,855
Viscosity Grade	-	-	SAE 20W-50
Kinematic Viscosity, 40 °C (extrapolated)	D 445	mm ² /s	114
Kinematic Viscosity, 100 °C	D 445	mm ² /s	17.4
Viscosity Index	D 2270	-	168
Flash Point, COC	D 92	°C	246
Pour Point	D 97	°C	-42
Viscosity at high temp. & high shear rate (HTHS)	CEC-L-36-A-90	mPa.s	5.3

The figures above are not a specification. They are typical figures obtained within production tolerances.