

## Q8 T 750 SAE 50

Mineral API CI-4 and ACEA E7 heavy duty engine oil

### Description

Q8 T 750 SAE 50W is a heavy duty engine oil. This product is designed to improve engine durability and to prevent deposit formation. It prevents corrosion and foaming. It meets the requirements of API CI-4 ACEA E7.

### Applications

Q8 T 750 SAE 50W for commercial vehicles, buses, off-highway/construction or military equipment. To be used where monograde engine oil is preferred in some transmission applications.

### Benefits

- Premium protection against engine wear.
- High protection against rust and corrosion.
- Advanced engine protection after cold start.

### Specifications, recommendations and approvals

ACEA	A3/B4	API	CI-4
ACEA	E3	API	SL
ACEA	E5	MTU	Type 1
ACEA	E7		

### Properties

	Method	Unit	Typical
Density, 15 °C	D 4052	g/ml	0,893
Viscosity Grade	-	-	SAE 50
Kinematic Viscosity, 40 °C	D 445	mm <sup>2</sup> /s	200
Kinematic Viscosity, 100 °C	D 445	mm <sup>2</sup> /s	18.0
Viscosity Index	D 2270	-	103
Total Base Number	D 2896	mg KOH/g	10
Pour Point	D 97	°C	-24
Flash Point, P-M	D 93	°C	204
Sulfated Ash	D 874	% mass	1.3

The figures above are not a specification. They are typical figures obtained within production tolerances.