

Q8 Sport 4T 10W-40

Superior motorcycle oil

Description

Q8 Sport 4T 10W-40 is a superior synthetic lubricant that enhances power performance of 4-stroke motorcycles. It contains a unique polymeric Viscosity Index improver and exceptional anti-wear additives that result in an extreme film strength. Q8 Sport 4T 10W-40 guarantees exceptional engine cleanliness, is mechanical and thermal stable and delivers non-stop peak performance in all conditions.

Applications

Q8 Sport 4T 10W-40 is used in on- and off-road motorcycles with dry and wet clutch. It is suitable for recreational devices such as all terrain vehicles (ATV) and quads. The oil exceeds the top international OEM requirements.

Benefits

- Superior engine performance at extreme driving conditions.
- Exceptional cleanliness and wear protection for all components.
- Exceptional high temperature deposit control.
- Superior friction reduction allowing high load capacity.

Specifications, recommendations and approvals

API SN JASO MA2

Properties

| | Method | Unit | Typical |
|-----------------------------|--------|--------------------|------------|
| Density, 15 °C | D 4052 | g/ml | 0,853 |
| Viscosity Grade | - | - | SAE 10W-40 |
| Kinematic Viscosity, 40 °C | D 445 | mm ² /s | 89.5 |
| Kinematic Viscosity, 100 °C | D 445 | mm ² /s | 13.8 |
| Viscosity Index | D 2270 | - | 158 |
| Flash Point, COC | D 92 | °C | 248 |
| Pour Point | D 97 | °C | -27 |

The figures above are not a specification. They are typical figures obtained within production tolerances.