

Q8 City 4T 10W-30

Advanced motorcycle oil for city traffic conditions

Description

Q8 City 4T 10W-30 is an advanced synthetic motorcycle oil that protects the critical engine parts while driving in city traffic. The oil contains special additives to guarantee a high protection of engine and transmission parts and to assure a strong oxidation stability. Q8 City 4T 10W-30 provides optimum friction in the wet clutch and has advanced antioxidation properties.

Applications

Q8 City 4T 10W-30 is used for motorcycles and scooters in city traffic. It is suitable for all types of four stroke motorcycles where JASO MA2 performance is recommended.

Benefits

- Excellent cylinder protection against scuffing wear.
- Outstanding environmental impact reduction.
- Outstanding clutch friction performance.
- Excellent high temperature control.
- Excellent protection against rust and corrosion.

Specifications, recommendations and approvals

API SL JASO MA2

Properties

	Method	Unit	Typical
Density, 15 °C	D 4052	g/ml	0,850
Density, 20 °C	D 4052	g/ml	0,847
Viscosity Grade	-	-	10W-30
Kin. Viscosity Base Oil at 40 °C	D 445	mm ² /s	56,7
Kinematic Viscosity, 100 °C	D 445	mm ² /s	9,8
Viscosity Index	D 2270	-	159
Pour Point	D 97	°C	-33
Flash Point, COC	D 92	°C	235

The figures above are not a specification. They are typical figures obtained within production tolerances.

Sustainability

The product Carbon Footprint (PCF), cradle-to-gate (Q8Oils state of the art facility in Belgium), of Q8 City 4T 10W-30 is **1.26** kg CO₂eq / kg.

Please contact Q8Oils to learn more about the positive environmental impact, the handprint, of this product.

To ensure accuracy and reliability, the PCF calculation tool has been verified by an independent third party. The verification report is available in the disclaimer.

For more info check here



**we
take
care**

PRODUCT CARBON FOOTPRINT
METHOD VALIDATED BY:

PCF CALCULATION IN LINE WITH:
ISO 14067 | ATIEL-UEIL PCF

