SAFETY DATA SHEET

Q8 Formula Hybrid C6 0W-20



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

5	
1.1 Product identifier	
Product name	: Q8 Formula Hybrid C6 0W-20
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Material uses	: Lubricating oil for automotive engines
1.3 Details of the supplier of	the safety data sheet
Supplier	: Kuwait Petroleum Companies in the Benelux Company Office: Desguinlei 100 - 8, 2018 Antwerp, Belgium Contactaddress: Petroleumkaai 7, 2020 Antwerp, Belgium Tel. +32 3 247 38 11, Fax +32 3 216 03 42
Manufacturer / Distributor	 Kuwait Petroleum Belgium N.V./S.A. Petroleumkaai 7 B-2020 Antwerp Belgium I Q8Oils Italia S.r.I. Via Volpedo 2 15050 Castellar Guidobono (AL) Italy
e-mail address of person responsible for this SDS	: SDSinfo@Q8.com, communication preferably in English only.
PCN Information contact	: PCNinfo@Q8.com, communication preferably in English only.

1.4 Emergency telephone number

Europe	: +44 (0) 1235 239 670				
Global (English only)	: +44 (0) 1865 407 333				
National advisory body/Poison Center					
Belgium	: Poison Centre : +32 (0)70 245 245				

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity	:	None.
Ingredients of unknown ecotoxicity	1	None.

See Section 11 for more detailed information on health effects and symptoms.

Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	<u>></u>
General	 P103 - Read carefully and follow all instructions. P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.

CARECHEM24

SECTION 2: Hazards identification

Permanan a		
Response		Not applicable.
Storage	1	Not applicable.
Disposal	1	Not applicable.
Supplemental label elements	:	Contains Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1) and Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce an allergic reaction. Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	ner	<u>its</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	1	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	:	Prolonged or repeated contact may dry skin and cause irritation.

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Severely refined mineral oil (C15 - C50) * - H304	-	≥50 - ≤75	Asp. Tox. 1, H304	-	[1] [2]
Severely refined mineral oil (C15 - C50) * - Not classified.	-	≥10 - ≤25	Not classified.	-	[2]
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1)	EC: 601-337-1 CAS: 114959-46-5	<1	Skin Sens. 1B, H317	-	[1]
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	EC: 682-816-2 CAS: 722503-68-6	≤1	Skin Sens. 1B, H317	Skin Sens. 1, H317: C ≥ 2%	[1]
(tetrapropenyl)succinic acid	REACH #: 01-2120752504-57 EC: 248-698-8 CAS: 27859-58-1	≤0.3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Repr. 2, H361 STOT RE 2, H373 (liver) See Section 16 for the full text of the H statements declared above.	-	[1]

Q8 Formula Hybrid C6 0W-20

SECTION 3: Composition/information on ingredients

* Contains one or more of the following:

CAS: 64742-54-7, EC: 265-157-1, EU REACH: 01-2119484627-25 CAS: 64742-55-8, EC: 265-158-7, EU REACH: 01-2119487077-29 CAS: 64742-65-0, EC: 265-169-7, EU REACH: 01-2119471299-27 CAS: 64742-56-9, EC: 265-159-2, EU REACH: 01-2119480132-48 CAS: 1335203-17-2, EC: 934-956-3, EU REACH: 01-2119827000-58

The mineral base oils contained in this product are severely refined and contain less than 3% DMSO extract according to IP 346 method, and are therefore not classified as carcinogen according to Regulation (EC) No 1272/2008, note L.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Descrip	tion of f	irst aid	measures
-------------	-----------	----------	----------

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/sy	<u>mptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation dryness cracking
Ingestion	: No specific data.

4.3 Indication of any imm	ediate medical attention and special treatment needed
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.

Q8 Formula Hybrid C6 0W-20

SECTION 4: First aid measures

Specific treatments :

: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use dry chemical, CO_2 , alcohol-resistant foam or water spray (fog).
Unsuitable extinguishing media	:	Do not use water jet.
5.2 Special hazards arising f	ron	the substance or mixture
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	-	Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for	r c	ontainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.
Date of issue/Date of revision		: 03-06-2025 Date of previous issue : 12-10-2022 Version : 1.03 4/18

Q8 Formula Hybrid C6 0W-20

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

: Not available. : Not available.

Industrial sector specific solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Severely refined mineral oil (C15 - C50) * -	EU OEL (Europe)
H304	TWA 8 hours: 5 mg/m ³ . Form: Mist.
	STEL 15 minutes: 10 mg/m ³ . Form: Mist.
Severely refined mineral oil (C15 - C50) * - Not	EU OEL (Europe)
classified.	TWA 8 hours: 5 mg/m ³ . Form: Mist.
	STEL 15 minutes: 10 mg/m ³ . Form: Mist.

Biological exposure indices

No exposure indices known.

Recommended monitoring : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the procedures assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name

Result

Q8 Formula Hybrid C6 0W-20

SECTION 8: Exposure controls/pe	rsonal protection
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1)	DNEL - General population - Long term - Oral 0.5 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Long term - Dermal 0.5 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Dermal 1 mg/kg bw/day <u>Effects</u> : Systemic
(tetrapropenyl)succinic acid	DNEL - General population - Long term - Oral 0.2 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Long term - Dermal 0.3 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Long term - Inhalation 0.3 mg/m ³ <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Dermal 0.7 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Inhalation 1.2 mg/m³ <u>Effects</u> : Systemic
PNECs Not available.	

8.2 Exposure controls		
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Individual protection meas	sures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.	
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Wear suitable gloves tested to EN374. Recommended: < 1 hour (breakthrough time): nitrile rubber 0.17 mm. Provide employee with skin care programmes.	
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. 	
Date of issue/Date of revision	: 03-06-2025 Date of previous issue : 12-10-2022 Version : 1.03 6/18	

SECTION 8: Exposure controls/personal protection

Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Boiling point > 65 °C: A1; Boiling point < 65 °C: AX1; Hot material: A1P2. Gas and combination filter cartridges should comply with the European standard EN14387.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: 🗾 quid. [Clear]
Appearance	: Oily liquid.
Color	: Yellow
Odor	: 🗭haracteristic [Slight]
Odor threshold	: Not available.
Melting point/freezing point	: <-45°C (<-49°F) [ASTM 5950]
Pour point	: <-45°C (<-49°F) [ASTM 5950]
Boiling point or initial boiling point and boiling range	: >300°C (>572°F)
Flammability	: Not applicable.
Lower and upper explosion limit	: Not available.
Flash point	: Open cup: 222°C (431.6°F) [ASTM D92.]
Auto-ignition temperature	: >300°C (>572°F)
Decomposition temperature	: Not available.
рН	: Not applicable.
Viscosity	 Kinematic (40°C (104°F)): 40.9 mm²/s (40.9 cSt) Kinematic (100°C (212°F)): 8.1 mm²/s (8.1 cSt)

Solubility

Media	Result
cold water	Not soluble
hot water	Not soluble
Partition coefficient n-octanol/ water (log Pow)	: Not applicable.
Vapor pressure	: <0.01 kPa (<0.075006 mm Hg)
Density	: 0.85 g/cm³ [15°C (59°F)] [ASTM D 4052]
Relative vapor density	: Not available.
Particle characteristics	
Median particle size	: Not applicable.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

•

Q8 Formula Hybrid C6 0W-20

SECTION 9: Physical and chemical properties

- **Explosive properties Oxidizing properties**
- : Not applicable. : Not applicable.

9.2.2 Other safety characteristics

Not applicable.

SECTION 10: Stability and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.		
10.2 Chemical stability	: The product is stable.		
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.		
10.4 Conditions to avoid	: No specific data.		
10.5 Incompatible materials	: Reactive or incompatible with the following materials: Strong oxidizing materials		
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.		

SECTION 11: Toxicological information

Product/ingredient name	Result
Severely refined mineral oil (C15 - C50) * - H304	Rabbit - Dermal - LD50
11304	>5000 mg/kg
	Rat - Oral - LD50
	>5000 mg/kg
	Rat - Male, Female - Inhalation - LC50 Dusts and mist
	5.53 mg/l [4 hours]
	Acute Inhalation Toxicity
Severely refined mineral oil (C15 - C50) * -	Rabbit - Dermal - LD50
Not classified.	>5000 mg/kg
	Rat - Oral - LD50
	>5000 mg/kg
	Rat - Male, Female - Inhalation - LC50 Dusts and mist
	5.53 mg/l [4 hours]
	Acute Inhalation Toxicity
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl	Rat - Oral - LD50
derivs., calcium salts (2:1)	>5000 mg/kg

Acute toxicity estimates

SECTION 11: Toxicological information

	-	-			
Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Severely refined mineral oil (C15 - C50) * - H304 Severely refined mineral oil (C15 - C50) * - Not classified.	N/A N/A	N/A N/A	N/A N/A	N/A N/A	5.53 5.53

Skin corrosion/irritation

Product/ingredient name

Severely refined mineral oil (C15 - C50) * -	
H304	

Result

Rabbit - Skin - Erythema/Eschar

Duration of treatment/exposure: 72 hours Observation period: 7 days Irritation score: 0.17 Fully reversible in 7 days or less

Rabbit - Skin - Edema

<u>Duration of treatment/exposure</u>: 72 hours <u>Observation period</u>: 7 days <u>Irritation score</u>: 0 Fully reversible in 7 days or less

Severely refined mineral oil (C15 - C50) * - Not classified.

Rabbit - Skin - Erythema/Eschar

<u>Duration of treatment/exposure</u>: 72 hours <u>Observation period</u>: 7 days <u>Irritation score</u>: 0.17 Fully reversible in 7 days or less

Rabbit - Skin - Edema

<u>Duration of treatment/exposure</u>: 72 hours <u>Observation period</u>: 7 days <u>Irritation score</u>: 0 Fully reversible in 7 days or less

Conclusion/Summary [Product] : Not available.

Serious eye damage/eye irritation

Product/ingredient name

Severely refined mineral oil (C15 - C50) * -H304

Result

Rabbit - Eyes - Iris lesion

Acute Eye Irritation/Corrosion <u>Duration of treatment/exposure</u>: 48 hours <u>Observation period</u>: 72 hours <u>Irritation score</u>: 0 Fully reversible in 7 days or less

Rabbit - Eyes - Redness of the conjunctivae

Acute Eye Irritation/Corrosion <u>Duration of treatment/exposure</u>: 48 hours <u>Observation period</u>: 72 hours <u>Irritation score</u>: 0.33 Fully reversible in 7 days or less

Severely refined mineral oil (C15 - C50) * - Not classified.

Rabbit - Eyes - Iris lesion

Acute Eye Irritation/Corrosion <u>Duration of treatment/exposure</u>: 48 hours <u>Observation period</u>: 72 hours <u>Irritation score</u>: 0 Fully reversible in 7 days or less

Q8 Formula Hybrid C6 0W-20

SECTION 11: Toxicological information

	Rabbit - Eyes - Redness of the conjunctivae
	Acute Eye Irritation/Corrosion
	Duration of treatment/exposure: 48 hours
	Observation period: 72 hours
	Irritation score: 0.33
	Fully reversible in 7 days or less
Conclusion/Summary [Product] : Not availab	le.
Respiratory corrosion/irritation Not available.	
Not available.	
Conclusion/Summary [Product] : Not availab	le.
Respiratory or skin sensitization	
Product/ingredient name	Result
Severely refined mineral oil (C15 - C50) * -	Guinea pig - skin
H304	Skin Sensitization
	Result: Not sensitizing
Severely refined mineral oil (C15 - C50) * -	Guinea pig - skin
Not classified.	Skin Sensitization
	Result: Not sensitizing
Skin	
Conclusion/Summary [Product] : Not availab	le.
Respiratory	
Conclusion/Summary [Product] : Not availab	le.
Germ cell mutagenicity	
Product/ingredient name	Result
Severely refined mineral oil (C15 - C50) * - H304	In vivo - Mammalian-Animal - Somatic - Intraperitoneal Mammalian Erythrocyte Micronucleus Test <u>Result</u> : Negative
Severely refined mineral oil (C15 - C50) * - Not classified.	In vivo - Mammalian-Animal - Somatic - Intraperitoneal Mammalian Erythrocyte Micronucleus Test
	<u>Result</u> : Negative
Conclusion/Summary [Product] : Not availab	le.
<u>Carcinogenicity</u>	
Product/ingredient name	Result
Severely refined mineral oil (C15 - C50) * -	Mouse - Female - Dermal - TC
H304	Carcinogenicity Studies
	78 weeks
	Result: Negative
Severely refined mineral oil (C15 - C50) * -	Mouse - Female - Dermal - TC
Not classified.	Carcinogenicity Studies
	78 weeks
	<u>Result</u> : Negative

Conclusion/Summary [Product] : Not available.

Date of issue/Date of revision

: 03-06-2025 Date of previous issue

Q8 Formula Hybrid C6 0W-20

SECTION 11: Toxicological information

Reproductive toxicity

Product/ingredient name Severely refined mineral oil (C15 - C50) * -H304

Result

Rat - Male, Female - Oral Reproduction/Developmental Toxicity Screening Test 1000 mg/kg <u>Effects</u>: No effect level. <u>Maternal toxicity</u>: Negative <u>Fertility effects</u>: Negative <u>Developmental</u>: Negative

Severely refined mineral oil (C15 - C50) * - Not classified.

Rat - Male, Female - Oral

Reproduction/Developmental Toxicity Screening Test 1000 mg/kg <u>Effects</u>: No effect level. <u>Maternal toxicity</u>: Negative <u>Fertility effects</u>: Negative <u>Developmental</u>: Negative

Conclusion/Summary [Product] : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)	
Product/ingredient name	Result
(tetrapropenyl)succinic acid	STOT RE 2, H373 (liver)

Aspiration hazard

Product/ingredient name

Severely refined mineral oil (C15 - C50) * -

Result

ASPIRATION HAZARD - Category 1

H304		- Cooy - Achine the the category t
Information on the likely rou	Ites	s of exposure
Not available.		
Potential acute health effect	S	
Eye contact	1	No known significant effects or critical hazards.
Inhalation	1	No known significant effects or critical hazards.
Skin contact	1	Defatting to the skin. May cause skin dryness and irritation.
Ingestion	1	No known significant effects or critical hazards.
Symptoms related to the phy	ysi	cal, chemical and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation dryness cracking
Ingestion	:	No specific data.
Delayed and immediate effe	cts	and also chronic effects from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		

Date of issue/Date of revision

: 03-06-2025 Date of previous issue

	ological informa			
Potential immediate effects	: Not available.			
Potential delayed effects Potential chronic health e				
Product/ingredient name		Result		
Severely refined mineral oil (C15 - C50) * - H304		Sub-chronic - Rat - Male, Female - Oral - NOAEL Subchronic Dermal Toxicity: 90-day Study ≥2000 mg/kg [5 days per week] [13 weeks]		
		Sub-acute - Rat - Male - Oral - LOAEL Repeated Dose 90-Day Oral Toxicity Study in Rodents 125 mg/kg [5 hours per day] [13 weeks]		
		Sub-acute - Rat - Male - Inhalation - NOAEL >980 mg/m³ [5 days per week] [4 weeks]		
Severely refined mineral oil Not classified.	(C15 - C50) * -	Sub-chronic - Rat - Male, Female - Oral - NOAEL Subchronic Dermal Toxicity: 90-day Study ≥2000 mg/kg [5 days per week] [13 weeks]		
		Sub-acute - Rat - Male - Oral - LOAEL Repeated Dose 90-Day Oral Toxicity Study in Rodents 125 mg/kg [5 hours per day] [13 weeks]		
		Sub-acute - Rat - Male - Inhalation - NOAEL >980 mg/m³ [5 days per week] [4 weeks]		
Conclusion/Summary [P	roduct] : Not availat			
General	: Prolonged or rep or dermatitis.	eated contact can defat the skin and lead to irritation, cracking an		
Carcinogenicity	: No known signific	cant effects or critical hazards.		
Mutagenicity	: No known signific	No known significant effects or critical hazards.		
Reproductive toxicity	 No known signific 	cant effects or critical hazards.		

11.2 Information on other hazards

11.2.1 Endocrine disrupting proper	rties
Conclusion/Summary [Product]	: In product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.
11.2.2 Other information	

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name

Severely refined mineral oil (C15 - C50) * -H304

Result

Acute - NEL - Fresh water Fish, Acute Toxicity Test Fish - *Pimephales promelas* ≥100 mg/l [96 hours]

Acute - NEL - Fresh water

Daphnia sp. Acute Immobilization Test and Reproduction Test Daphnia - *Daphnia Magma* >10000 mg/l [48 hours]

Chronic - NEL - Fresh water

Daphnia Magna Reproduction Test Daphnia - *Daphnia magna* 10 mg/l [21 days]

Q8 Formula Hybrid C6 0W-20

SECTION 12: Ecological information

Effect: Reproduction

Acute - NEL - Fresh water

Alga, Growth Inhibition Test Algae >100 mg/l [72 hours] <u>Effect</u>: (growth rate)

Severely refined mineral oil (C15 - C50) * - Not classified.

Acute - NEL - Fresh water

Fish, Acute Toxicity Test Fish - *Pimephales promelas* ≥100 mg/l [96 hours]

Acute - NEL - Fresh water

Daphnia sp. Acute Immobilization Test and Reproduction Test Daphnia - *Daphnia Magma* >10000 mg/l [48 hours]

Chronic - NEL - Fresh water

Daphnia Magna Reproduction Test Daphnia - *Daphnia magna* 10 mg/l [21 days] <u>Effect</u>: Reproduction

Acute - NEL - Fresh water

Alga, Growth Inhibition Test Algae >100 mg/l [72 hours] <u>Effect</u>: (growth rate)

Conclusion/Summary [Product] : Not available.

12.2 Persistence and degradability

Not available.

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Severely refined mineral oil (C15 - C50) * - H304 Severely refined mineral oil (C15 - C50) * - Not classified.		-	Inherent Inherent

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Senzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1)	5.32	23442	High

12.4 Mobility in soil

Soil/Water partition coefficient

Not available.

Results of PMT and vPvM assessment

Q8 Formula Hybrid C6 0W-20

SECTION 12: Ecological information

	4						
Product/ingredient name	РМТ	Ρ	Μ	Т	vPvM	vP	vM
Severely refined mineral oil (C15 - C50) * - H304	No	No	No	No	No	No	No
Severely refined mineral oil (C15 - C50) * - Not classified.	No	No	No	No	No	No	No
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1)	No	No	No	No	No	No	No
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	No	No	No	No	No	No	No
(tetrapropenyl)succinic acid	No	No	No	No	No	No	No
Mobility	: Not ava	ailable.					

Conclusion/Summary

: The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
Severely refined mineral oil (C15 - C50) * - H304	No	No	No	No	No	No	No
Severely refined mineral oil (C15 - C50) * - Not classified.	No	No	No	No	No	No	No
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1)	No	No	No	No	No	No	No
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	No	No	No	No	No	No	No
(tetrapropenyl)succinic acid	No	No	No	No	No	No	No
Regulation (EC) No. 1272/20	08 [CLP]				•		
Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
Severely refined mineral oil (C15 - C50) * - H304	No	No	No	No	No	No	No
Severely refined mineral oil (C15 - C50) * - Not classified.	No	No	No	No	No	No	No
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts (2:1)	No	No	No	No	No	No	No
Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts	No	No	No	No	No	No	No
(tetrapropenyl)succinic acid	No	No	No	No	No	No	No

Conclusion/Summary Regulation (EC) No. 1272/2008 : The product does not meet the criteria to be considered as a PBT or vPvB.

[CLP]

12.6 Endocrine disrupting properties

Q8 Formula Hybrid C6 0W-20

SECTION 12: Ecological information

Conclusion/Summary [Product]	: The product does not meet the criteria to be considered as having endocrine
	disrupting properties according to the criteria set out in either Regulation (EC)
	No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

: Not available.

Q8 Formula Hybrid C6 0W-20

SECTION 15: Regulatory information
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u> Annex XIV - List of substances subject to authorization
Annex XIV
None of the components are listed.
Substances of very high concern
None of the components are listed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles No listed substance
Other EU regulations
Industrial emissions : Not listed (integrated pollution prevention and control) - Air
Industrial emissions : Not listed (integrated pollution prevention and control) - Water
Explosive precursors : Not applicable.
Ozone depleting substances (EU 2024/590)
Not listed.
Prior Informed Consent (PIC) (649/2012/EU) Not listed.
Persistent Organic Pollutants (1021/2019/EU) Not listed.
Seveso Directive
This product is not controlled under the Seveso Directive.
National regulations
Germany
Hazard class for water : 1 (WGK)
Switzerland
VOC content : Exempt.
International regulations
Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.
Montreal Protocol
Not listed.
Stockholm Convention on Persistent Organic Pollutants Not listed.
Rotterdam Convention on Prior Informed Consent (PIC)
Not listed.
UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.
Inventory list

SECTION 15: Regulatory information

Australia	:	All components are listed or exempted.
Canada	1	All components are listed or exempted.
China	:	Not determined.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	All components are listed or exempted.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States of America	:	All components are active or exempted.
Viet Nam	;	Not determined.
5.2 Chemical Safety	:	Chemical Safety Assessments for all substances in this product are either Complete

Assessment

ompiete or Not applicable.

SECTION 16: Other information

Abbreviations and : ADN = European Provisions concerning the International Carriage of Danger	
acronyms Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM = American Society for Testing and Materials ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) N 1272/2008] DIN = German Institute for Standardization DMEL = Derived No Effect Level DNEL = Derived No Effect Level EC = European Commission EC50 = Half maximal effective concentration EN = European Standard (Norm) EUH statement = CLP-specific Hazard statement GHS - Globally Harmonized System of Classification and Labeling of Chemic IAT = International Air Transport Association IBC = Intermediate Bulk Container IC50 = Half maximal inhibitory concentration IMDG = International Maritime Organisation ISO = International Maritime Organisation LC50 = Median lethal concentration LD50 = Median lethal concentration LD50 = Median lethal dose LOAEL / LOAEC = Lowest Observed Adverse Effect Level / Concentration MARPOL = International Convention for the Prevention of Pollution From Shi 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)	No. icals

SECTION 16: Other information

Regulation [Regulation (EC) No. 1907/2006]
RID = The Regulations concerning the International Carriage of Dangerous Goods
by Rail
SDS = Safety Data Sheet
SVHC = Substances of Very High Concern
STEL = Short Term Exposure Limit
TLV = Threshold Limit Value
TWA = Time Weighted Average
UFI = Unique Formula Identifier
UN = United Nations
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The mineral base oils contained in this product are severely refined and contain less than 3% DMSO extract according to IP 346 method, and are therefore not classified as carcinogen according to Regulation (EC) No 1272/2008, note L.

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of abbreviated H statements

H 304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

Full text of classifications [CLP/GHS]

Ksp. Tox. 1 Eye Dam. 1 Repr. 2 Skin Irrit. 2 Skin Sens. 1B STOT RE 2	ASPIRATION HAZARD - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 TOXIC TO REPRODUCTION - Category 2 SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITIZATION - Category 1B SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2		
Training advice	: Ensure operatives are trained to minimise exposures.		
Date of printing	: 03-06-2025		
Date of issue/ Date of revision	: 03-06-2025		
Date of previous issue	e : 12-10-2022		
Version	: 1.03		
Prepared by	: Kuwait Petroleum Research & Technology B.V., The Netherlands		
Notico to reador			

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.