

Q8 Degreasing Fluid HFB

Emulsifiable degreasing fluid

Description

Q8 Degreasing Fluid HFB is an advanced degreaser that emulsifies with water without gel formation. Thanks to its high flash point (105°C) and low volatility, this odourless fluid is safer in use compared to other industrial degreasers. Q8 Degreasing Fluid HFB is rapidly biodegradable (according to OECD 301 F) and limits corrosion of copper and ferrous metals.

Applications

Q8 Degreasing Fluid HFB is used to remove oil and grease of machinery, vehicles and workshop floors. It can be applied by spraying, brushing or mopping. Q8 Degreasing fluid HFB can be removed with water.

Benefits

- User-friendly and improved operator working conditions
- Inherently biodegradable
- Odorless
- High flash point
- Advanced forming of emulsion

Properties

	Method	Unit	Typical
Colour	Visual	-	Light yellow
Density, 20 °C	D 4052	g/ml	0.762
Kinematic Viscosity, 40 °C	D 445	mm ² /s	1.55
Flash Point, P-M	D 93	°C	105
Pour Point	D 97	°C	-18
Biodegradability	OECD 301 F	%	> 60

The figures above are not a specification. They are typical figures obtained within production tolerances.

Sustainability

The product Carbon Footprint (PCF), cradle-to-gate (Q8Oils state of the art facility in Belgium), of Q8 Degreasing Fluid HFB is **1.27 kg CO₂eq / kg**.

Please contact Q8Oils to learn more about the positive environmental impact, the handprint, of this product.

To ensure accuracy and reliability, the PCF calculation tool has been verified by an independent third party. The verification report is available in the disclaimer.

For more info check here



**we
take
care**

PRODUCT CARBON FOOTPRINT
METHOD VALIDATED BY:

PCF CALCULATION IN LINE WITH:
ISO 14067 | ATIEL-UEIL PCF

