

Q8 Antifreeze Evo

Superior Long Life Coolant

Description

Q8 Antifreeze EVO is an ethylene glycol of the so-called PSi-OAT type and combines the advantages of phosphates and silicates and is based on so-called OAT technology. The product has unparalleled corrosion protection and Long Life properties. Does not contain amine, nitrite or boron compounds. Protects against cavitation and damage to the cylinder liner. Also suitable for aluminum engines.

Applications

Q8 Antifreeze EVO is used in cooling systems for passenger cars, commercial vehicles, buses and stationary engines. This type of glycol is recommended mainly for the Volkswagen group but brands such as Volkswagen, Audi, Skoda, Porsche, Lamborghini, Bugatti but also fits other manufacturers. Equivalent to G65 and VW G12 Evo.

Benefits

- Excellent service life due to chemical stability.
- Outstanding high temperature performance.
- Outstanding compatibility with system rubber seals

Specifications, recommendations and approvals

AS	2108-2004	JIS	K 2234:2006
ASTM	D 3306	Lamborghini	VW TL 774 L
ASTM	D 4985	PN	C40007:2000
ASTM	D 6210	Porsche	VW TL 774 L
ASTM	D 7583	SAE	J 1034
Audi	VW TL 774 L	SANS	1251:2005
BS	6580	Seat	VW TL 774 L
Bentley	VW TL 774 L	VAG	VW TL 774 L (G12 EVO)
Bugatti	VW TL 774 L	Volkswagen	VW TL 774 L
CUNA	NC 956-16	Önorm	V5123
China GB	29743-2013	Škoda	VW TL 774 L
Deutz	DQC CC-14		

Properties

	Method	Unit	Typical
Colour	Visual	-	Pink
Density, 20 °C	D 4052	g/ml	1,126
Refractive Index, 20 °C	D 1218	typ. Value	1.432
Boiling Point	-	°C	min 163
Flash Point, COC	D 92	°C	min 120
pH	D 1287	-	8.5

The figures above are not a specification. They are typical figures obtained within production tolerances.